. Vive the Jergesteration have bring		. 1977 - 1971 - 1981	an assess a	ए.स.च्याद्याद्याकाल्यात
	《大学》			
				0.72 N. 10 15 P.
			\$69 30	
			W 45	6
		14,	NOV 0.8 7005	
		3410	\mathbf{T}	
	16			
	ΨΙ			
	d l	(Φ	3	49
1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、1、		X	3	√%
			PATE	
	3年 30			学、制造教育经验*
	# 3 7			
	サッジ			
	ু ক তা 🚟			
- 接到的自己的基础的图象	್ರ ಚಿತ್ರ			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	田:20 日			
	₹ € 7			
	R C th			
	Rewised Brief Description of Drawing including FIG. 6, as per the Notice of Drawing Inconsistency with Specifications for 109/628 569 Mandrew J. Rudy,	Examiner, Jeff Haber, Inventor Received for filing today:		
	T 90			
	$\bullet = \mathbb{K}$	 		
	⊈ ≷ ∞	≥ :		广播。如此
	.¥ .a ⊗	Examiner, Jeff Haber, Inv Received for filing today:		
。 [18] [18] [18] [18] [18] [18] [18] [18]	E 51%			[2] 对是国家对
一下表现的"自身发展"。		18 #		
	ು	ਕਿ ਦੀ		
	A 8160	正 注 一	5 Haz 4 A 2	
		压性	经验的	
一 三 多海州 5 克里尔 2 下是	्रक ⊚ाद	ાં ફું	的基础	
	五 乙 2	74		
	무인경	15. 4. Y	2. 1997年第	
一つ対議の報告を行う		(E-2)	的复数数数	医塞氏骨膜的
一位。中華開始3個在3個分類	2 5 5	E . 5	建压造 200	
一点点。这种是是是不是	≱ ⊠*∞	le ⊈	被 振动 內	
100年12日本	A 30 6	13 X		
			人可以逐渐变	是有些知识
		[[表示]] 孝信[[8		Par Repair
				经验的
	医髓膜样素			[2] [2] [2] [2]
				153724
		1 (1) (1		





y Fr

UNITED STATES PATENT AND TRADEMARK OFFICE

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed $10-06-2003$ have been received. However, an inconsistency exists
between the drawings and the Brief Description of the Drawings in the specification.
Till and the Drief Description of the Drawings in the specification but
rigures are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.
Figure 6 is contained in the Drawings but not listed in the Brief Description of the Drawings
in the specification.
Applicant is required to correct the above-noted inconsistency within a time period of ONE
MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice,
or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME
PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)
The state of the combination
Failure to correct the above noted inconsistency will result in abandonment of the application.
The file will be held in the Publishing Division to await the correction of the inconsistency.
Return Corrected Drawings/Specification to:
Mail Stop Issue Fee
-Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101

FORM PTO-1631 (REV. 10-03)